

AD

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
18 December 2003 (18.12.2003)

PCT

(10) International Publication Number
WO 03/104376 A1(51) International Patent Classification⁷: C11D 3/38, 11/00

[GB/GB]; 2 Old Brewery Close, Stotfold, Hitchin, Hertfordshire, SG5 4QT (GB).

(21) International Application Number: PCT/GB03/02455

(74) Agent: PEEL, James, P.; Barker Brettell, 10-12 Priests Bridge, London SW15 5JE (GB).

(22) International Filing Date: 9 June 2003 (09.06.2003)

(81) Designated States (*national*): JP, US.

(25) Filing Language: English

(84) Designated States (*regional*): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(26) Publication Language: English

(30) Priority Data:
0213097.9 7 June 2002 (07.06.2002) GB**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(71) Applicant (*for all designated States except US*): AUTO-GLYM [GB/GB]; Works Road, Letchworth Garden City, Hertfordshire SG6 1LU (GB).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): COLEY, Paul, Stuart

WO 03/104376 A1

(54) Title: COMPOSITIONS FOR USE IN VEHICLE WASH

(57) **Abstract:** The invention relates to a composition suitable for use as in a vehicle wash which composition includes a micro-organism to digest organic matter washed from the vehicle. By including a micro-organism in wash water used in a vehicle wash, there are various advantages including the fact that dosing of the vehicle wash by the micro-organism is proportional to the use of the vehicle wash. Thus the more the vehicle wash is used, generally the more organic matter will accumulate but as dosing is proportional to use, more micro-organism is supplied to combat the increased level of organic matter. As a result the growth rate of organic matter is greatly reduced allowing wash water to be recycled for longer resulting in reduced operating costs for the vehicle wash, especially as there is less or no need to apply a biocide to control foul odour.

COMPOSITIONS FOR USE IN VEHICLE WASH

The present invention provides a new biodegradable detergent composition and wash water additive for use in a vehicle wash and methods of operating a vehicle wash using the detergent composition or additive.

A problem in vehicle wash areas is that organic material washed from the vehicles accumulates. As a result the vehicle wash area must be cleaned from time to time and the contaminated water in the sump of the vehicle wash must occasionally be emptied. A further problem is that the material can rot leading to the production of foul odours or it can promote the growth of algae. Normally attempts are made to control foul odours by applying a biocide. Commonly commercial vehicle washes have water collection tanks to which waste wash water can drain. It is known to dose such water collection tanks with a preparation of micro-organisms to digest the organic material in the waste water. It is now recognised that such dosing is inconvenient and, for it to be effective, the operator of the commercial vehicle wash must remember to do it.

20

A way of ameliorating these problems has been sought.

According to the invention there is provided a detergent composition suitable for use in a vehicle wash which composition includes a micro-organism and a detergent.

25

According to the invention there is further provided a wash water additive for use in wash water in a vehicle wash which additive includes a micro-organism.

30

According to the invention there is also provided a method of operating a vehicle wash which includes means for dispensing water, means for dispensing a detergent composition and optionally one or more vehicle washing devices, which method includes providing a micro-organism in
5 the detergent composition and/or in the wash water.

By including a micro-organism in the detergent composition or in wash water used in a vehicle wash, there are various advantages including the fact that dosing of the vehicle wash by the micro-organism is proportional
10 to the use of the vehicle wash. Thus the more the vehicle wash is used, generally the more organic matter will accumulate but as dosing is proportional to use, more micro-organism is supplied to combat the increased level of organic matter. As a result the growth rate of organic matter is greatly reduced allowing wash water to be recycled for longer
15 resulting in reduced operating costs for the vehicle wash, especially as there is less or no need to apply a biocide to control foul odour.

A further advantage is that the micro-organism is sprayed with the detergent composition or wash water and so it can reach all parts of the
20 vehicle wash. Therefore accumulation of organic material in inaccessible parts of a vehicle wash can be prevented by the use of the composition or additive according to the invention or of the method according to the invention.

25 Vehicle wash areas can be slippery because of organic films or algae growth. Eventually it is necessary to clean vehicle washes to deal with this problem. A further advantage of the invention is that this problem is reduced without the need for additional cleaning.

30 The invention may be applied to a vehicle wash which is suitable for washing a car, bus, lorry, caravan or train. Preferably it is for use with a

car or a bus wash. The vehicle wash optionally is operated either automatically (e.g. a drive-through vehicle wash) or manually.

5 A range of micro organisms may be used as the micro organism in the invention. Preferably the micro organism is naturally occurring. More preferably the micro organism is capable of degrading organic matter, particularly that washed from a vehicle, more particularly oil, fat and/or organic material such as dirt e.g. soil, plant waste etc.

10 An automatically operated vehicle wash generally includes one or more vehicle washing devices such as a rotating brush, one or more means for supplying wash water such as nozzles or spray heads especially for dispensing wash water under pressure and one or more means for supplying a detergent composition which may be the same or different to
15 the means for supplying wash water and are generally in the form of nozzles or spray heads. It may optionally further comprise one or more dryers. It is generally housed in a building. It has been found that with a conventional detergent, dirt from a vehicle can be spread throughout the building through the combined action of the rotating brushes and
20 pressurised water. This can render the building difficult to clean. The advantage of the invention is that a micro-organism is sprayed throughout the building as well.

The composition according to the invention is preferably an aqueous
25 composition. The micro organism is preferably a naturally occurring micro organism selected for its ability to digest organic matter. The selection of suitable micro organisms will be straight forward for one of skill in the art. The composition optionally additionally comprises a preservative, an alkali metal halide (particularly sodium chloride), one or
30 more surfactants, and/or a dye. A surfactant for use in the invention is optionally ionic, particularly amphoteric or anionic, or non ionic. The

surfactant is preferably in the form of a blend of different surfactants. Examples of suitable anionic surfactants include an alkali metal alkylbenzene sulphonate such as sodium dodecylbenzene sulphonate, for example Bio-Soft SDBS 60 (Trade name) manufactured by Stepan UK Ltd
5 or an alkali metal alkyl ethoxysulphate, for example sodium lauryl ethoxy (3EO) sulphate such as Empicol ESC 3/G2 (Trade name) manufactured by Huntsman Surface Sciences. An example of a non-ionic surfactant is an alcohol ethoxylate such as POE-(11)-synthetic primary C₁₃/ C₁₅ alcohol, for example Synperonic A11 (Trade name) manufactured by Uniqema.

10

The additive and/or composition preferably includes from 1 to 10 weight % of a micro-organism, preferably from 3 to 8 weight % of a micro-organism, more preferably about 5 weight % of a micro-organism. Preferably, the composition further includes from 0.1 to 2 weight % of a
15 preservative, more preferably from 0.3 to 1 weight % of a preservative, most preferably about 0.5 weight % of a preservative. Preferably the composition includes from 1 to 40 weight % of a surfactant and/or a detergent, preferably from 5 to 30 weight %, most preferably about 20 weight % of a surfactant and/or a detergent. Preferably the composition
20 includes from 0.5 to 5 weight % of an alkali metal halide, more preferably from 1 to 3 weight %, most preferably about 2 weight %.

According to a second aspect of the invention there is provided a method of reducing algae growth in a vehicle wash including means for supplying
25 a detergent, means for supplying wash water and one or more vehicle washing devices, which method includes providing a micro-organism in the detergent composition and/or in the wash water. The method according to the second aspect of the invention preferably reduces build up of organic contaminants in a vehicle wash.

30

According to a third aspect of the invention there is provided a method of treating a vehicle wash with a micro-organism wherein the rate of treating is proportional to the rate of use of the vehicle wash which vehicle wash includes means for supplying wash water, means for supplying a detergent
5 composition and one or more vehicle washing devices, wherein the method includes the step of providing a micro-organism in the wash water and/or in the detergent composition.

According to the invention there is further provided the use of a micro-
10 organism in a detergent composition and/or in wash water for use in a vehicle wash.

The invention will now be further explained with reference to the following examples which are provided by way of illustration only.

EXAMPLE 1

A detergent composition was prepared by mixing together the ingredients shown in Table 1 to a total weight of 10kg.

5

TABLE 1

Ingredient	Amount / % w/w
Water	72.983
Bioban CS 1246 ^(a)	0.500
Bio-Soft SDBS 60 ^(b)	7.800
Empicol ESC3/G2 ^(c)	10.000
Drimarene Brill Green 3-XG ^(d)	0.017
Synperonic A11 ^(e)	2.000
Bichem GC 700L NS (10X NF) ^(f)	5.000
Sodium chloride	1.700
Total	100.00

Wherein (a) Bioban CS 1246 (Trade name) is a preservative (antibacterial agent) containing oxazolidine (1-aza-3,7 - dioxo - 5- ethylbicyclo (3.3.0) octane) manufactured by Angus Chemie GmbH.

10

(b) Bio-Soft SDBS 60 (Trade name) is an aqueous solution of a sodium dodecylbenzene sulphonate manufactured by Steppan UK Limited.

(c) Empicol ESC 3/G2 (Trade name) is an aqueous solution of sodium lauryl ethoxy (3EO) sulphate manufactured by Huntsman Surface Sciences.

15

(d) Drimarene Brill Green 3-XG (Trade name) is a reactive nickel phthalocyanine dyestuff, manufactured by Clariant UK Limited.

(e) Synperonic A11 (Trade name) is a POE-(II)-synthetic primary C₁₃/C₁₅ alcohol manufactured by Uniqema.

(f) Bichem GC 700L NS (10X NF) (Trade name) is a liquid preparation containing greater than 99% *Bacillus* microorganisms in a water base, manufactured by Novozymes Biologicals, France S.A.

10

The composition was used in an automatically operated car wash. After 8 weeks it was found that there was a 75% reduction in the growth rate of waste, complete elimination of foul odour in recycled water and reduction in slipperiness in the wash floor area. In other measured tests the reduction in the growth rate of waste was greater than 50%.

15

EXAMPLE 2

A wash water additive composition of 10kg in weight was prepared by mixing the ingredients shown in Table 2 in the proportions given:

20

TABLE 2

Ingredient	Amount / % w/w
Water	94.983
Drimarene Brill Green 3-XG	0.017
Bichem GC 700L NS (10X NF)	5.000

CLAIMS

1. A composition suitable for use as a wash water additive in wash
water in a vehicle wash which composition includes water and a micro-
5 organism.
2. A composition suitable for use as a detergent composition in a
vehicle wash which composition includes a micro-organism and a
detergent.
10
3. A composition as defined in Claim 2 which includes water.
4. A composition as defined in Claim 2 or Claim 3 which includes a
preservative, an alkali metal halide, one or more surfactants, and/or a
15 dye.
5. A composition as defined in any one of the preceding Claims which
includes from 1 to 10 weight % of a micro-organism, preferably from 3
to 8 weight % of a micro-organism, more preferably about 5 weight % of
20 a micro-organism.
6. A composition as defined in any one of the preceding Claims
wherein the micro-organism is naturally occurring.
- 25 7. A composition as defined in any one of the preceding Claims
wherein the micro-organism is capable of degrading oil, fat and/or
organic material.
- 30 8. A method of operating a vehicle wash which includes means for
dispensing water, means for dispensing a detergent composition and
optionally one or more vehicle washing devices, which method includes

providing a micro-organism in the detergent composition and/or in the wash water.

9. A method as defined in Claim 8 wherein the vehicle wash is for a
5 car, bus, lorry, caravan or train, preferably it is for a car or a bus.

10. A method as defined in Claim 8 or Claim 9 wherein the vehicle wash is operated automatically.

10 11. A method of reducing algae growth in a vehicle wash including means for supplying a detergent, means for supplying wash water and one or more vehicle washing devices, which method includes providing a micro-organism in the detergent composition and/or in the wash water.

15 12. A method of treating a vehicle wash with a micro-organism wherein the rate of treating is proportional to the rate of use of the vehicle wash which vehicle wash includes means for supplying wash water, means for supplying a detergent composition and one or more vehicle washing devices, wherein the method includes the step of
20 providing a micro-organism in the wash water and/or in the detergent composition.

13. Use of a micro-organism in a detergent composition and/or in wash water for use in a vehicle wash.

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/GB 03/02455

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C11D3/38 C11D11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 871 590 A (LOKKESMOE KEITH D ET AL) 16 February 1999 (1999-02-16) claim 17 examples 1-3,5 column 1, line 5 - line 45 column 3, line 54 - line 66 ----	1,6-10, 12,13
X	WO 02 33031 A (EARTH ALIVE RESOURCES INC) 25 April 2002 (2002-04-25) claims 1-3,7,8,12 page 4, last paragraph -page 5, paragraph 2 -----	1-9, 11-13
X	US 5 525 255 A (LEADINGHAM DAVID R ET AL) 11 June 1996 (1996-06-11) claims 1,4 column 1, line 42 -column 2, line 24 ----- -/-	1-4,6-9, 11-13

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *G* document member of the same patent family

Date of the actual completion of the international search

1 October 2003

Date of mailing of the international search report

10/10/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Neys, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 03/02455

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 376 451 B1 (TEASDALE STEVE ET AL) 23 April 2002 (2002-04-23) claims 1,2,5-8 table -----	1-7
X	WO 00 63338 A (SPARTAN CHEMICAL COMPANY INC) 26 October 2000 (2000-10-26) claims 1,3,5-8,10-12,15,17,18 page 3, line 22 - line 26 page 9, line 12 -page 10, line 3 tables I,IV -----	1-4,6,7
X	US 5 863 882 A (LIN JIAN-ER ET AL) 26 January 1999 (1999-01-26) claims 1,4,5,8,10 tables 4,5 column 1, line 55 - line 63 -----	1-4,6,7
X	EP 0 588 282 A (AAMOT HALDOR ;ROQUETTE BUISSON GERARD DE (SE)) 23 March 1994 (1994-03-23) claims 1,2,4,11,12 column 4, line 50 -column 5, line 13 -----	1,6,7

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 03/02455

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5871590	A	16-02-1999	AU 723562 B2	31-08-2000
			AU 5298698 A	27-08-1998
			BR 9800701 A	01-06-1999
			CA 2230021 A1	25-08-1998
			DE 19807195 A1	27-08-1998
			FR 2760021 A1	28-08-1998
			GB 2322380 A , B	26-08-1998
			IT T0980141 A1	24-08-1999
			JP 10237491 A	08-09-1998
			ZA 9800297 A	14-07-1999
WO 0233031	A	25-04-2002	AU 1079302 A	29-04-2002
			CA 2425424 A1	25-04-2002
			WO 0233031 A1	25-04-2002
			US 2002044887 A1	18-04-2002
US 5525255	A	11-06-1996	NONE	
US 6376451	B1	23-04-2002	AU 1368902 A	29-04-2002
			WO 0233035 A1	25-04-2002
			CA 2426080 A1	25-04-2002
			EP 1326954 A1	16-07-2003
			JP 2002129190 A	09-05-2002
			US 2002082184 A1	27-06-2002
WO 0063338	A	26-10-2000	US 6180585 B1	30-01-2001
			US 6165965 A	26-12-2000
			AU 764506 B2	21-08-2003
			AU 3929100 A	02-11-2000
			BR 0009794 A	05-03-2002
			CA 2367940 A1	26-10-2000
			EP 1171565 A1	16-01-2002
			NO 20015004 A	15-10-2001
			NZ 514659 A	25-10-2002
			WO 0063338 A1	26-10-2000
US 5863882	A	26-01-1999	AU 1532797 A	11-08-1997
			BR 9706998 A	20-07-1999
			CA 2241467 A1	24-07-1997
			EP 0967877 A1	05-01-2000
			JP 2000503320 T	21-03-2000
			NO 983214 A	13-07-1998
			WO 9725865 A1	24-07-1997
EP 0588282	A	23-03-1994	AT 186757 T	15-12-1999
			DE 69327023 D1	23-12-1999
			DE 69327023 T2	13-07-2000
			EP 0588282 A1	23-03-1994
			US 5532162 A	02-07-1996